

ACCESSORIES

for PGV & PGM calibration hand pumps





8003560

Low pressure connector set NPT female

Beamex - G1/8" 60° – 1/8" NPT (Female) connector
 Beamex - G1/8" 60° – 1/4" NPT (Female) connector
 Beamex - G1/8" 60° – 1/2" NPT (Female) connector
 Beamex - G1/8" 60° – 3/8" NPT (Female) connector
 Teflon tightening tape



8003580

Low pressure connector set NPT male

Beamex - G1/8" 60° – 1/8" NPT (Male) connector
 Beamex - G1/8" 60° – 1/4" NPT (Male) connector
 Beamex - G1/8" 60° – 1/2" NPT (Male) connector
 Beamex - G1/8" 60° – 3/8" NPT (Male) connector
 Teflon tightening tape



8003610

Low pressure plug set

Beamex - Plug G1/8" / 60° male
 Beamex - Plug G1/8" / 60° female



8003600

Low pressure M20x1,5 connector set

Beamex - G1/8" / 60° - M20x1.5 female connector
 Beamex - G1/8" / 60° - M20x1.5 male connector
 O-ring set



8003570

Low pressure connector set G female

Beamex - G1/8" 60° – G1/8" (Female) connector
 Beamex - G1/8" 60° – G1/4" B (Female) connector
 Beamex - G1/8" 60° – G1/2" B (Female) connector
 Beamex - G1/8" 60° – G3/8" B (Female) connector
 O-ring set



8003590

Low pressure connector set G male

Beamex - G1/8" 60° – G1/8" (Male) connector
 Beamex - G1/8" 60° – G1/4" B (Male) connector
 Beamex - G1/8" 60° – G1/4" (Male) connector
 Beamex - G1/8" 60° – G1/2" (Male) connector
 Beamex - G1/8" 60° – G1/2" B (Male) connector
 Beamex - G1/8" 60° – G3/8" (Male) connector
 O-ring set



8009437

Pressure T-hose set

Rated for 20 bar / 300 psi
Adapters: 1/4" NPT, 1/8" NPT



8009420

Extension hose

1.5 m / 60 inch, 20 bar / 300 psi
with pressure connectors



8009418

Extension hose

0.75 m / 30 inch, 20 bar / 300 psi
with Beamex conical connectors,
including 1/4 inch NPT adapter



7001080

Flexible hose

1.5 m / 60 inch, 20 bar / 300 psi
without pressure connectors



8009426

Conversion hose

Conversion tubing (15 cm, 6 inch)
from Beamex tubing connectors to
Swagelok-compatible 'Quick-connect'
connectors 20 bar / 300 psi



8003030

Set of spareparts (PGM)



8003440

Set of spareparts (PGV)



7410200

Piston seal (PGM)



7410150

Release valve seal (PGM)



7400470

Fine control seal (PGM)



7400120

Main valve seal (PGM)



PGV

0...-0.95 bar
0...-13.7 psi



PGM

0...20 bar
0...300 psi



PGXH (hydraulic)

0...700 bar
0...10 000 psi



PGPH (pneumatic)

-0.95...140 bar / -13.7...2000 psi



PGL

-400...400 mbar / -160...160 iwc

